

To / 致:

Company / 公司: EGing photovoltaic
Technology Co., Ltd.

Contact / 联系人: Mr. Yuan Hongchun
Email / 邮箱: yuanhc@egingpv.com

From / 自:

Company / 公司: TÜV NORD (HANGZHOU)
CO., LTD. / 杭州汉德质量认证
服务有限公司

Contact / 联系人: Ms. Miley Li / 李文颖 小姐
Email / 邮箱: wli@tuv-nord.com

Subject: Announcement of cancellation**主题: 证书取消通知**

File No.: PVP03098/23P-01

项目号:

License holder: **Changzhou EGing Photovoltaic Technology Co., Ltd.**
持证人: No.18, Jinwu Road, Yaotang Town, Jintan District
Changzhou City, Jiangsu Province 213213, P.R.China

Certificate No.: 44 780 20 406749 - 091R3M5

证书号:

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
产品: 晶硅光伏组件

Herewith it is declared, that the above noted certificate(s) has (have) been invalidated since 2023-10-31.
特此声明, 上述证书自 2023-10-31 起失效。

The cancellation is due to:

取消原因:

License holder applied for cancellation.

持证人申请取消。

New certificate(s) (no: 44 780 20 406749 - 091R4M6) has (have) been issued to replace the cancelled one(s).

新证书(证书号: 44 780 20 406749 - 091R4M6)签发, 取代旧证书。

After the expiry date of the certificate(s), the certificate(s) has (have) not been renewed within 6 months.

证书到期 6 个月内未续证。

After the expiry date of last factory inspection conclusion, no factory inspection has been conducted or no payment of annual fees has been received within 6 months.

上一厂检结论有效期到期后, 6 个月内未配合厂检或未支付年度费用。

No payment of annual fees has been received within 6 month after last period of payment of annual fees.

上一证书年费支付期后, 超过 6 个月未支付证书年费。

Others: _____

其他情况: _____

Please pay attention to stop using the invalid certificate(s) from 2023-10-31. Meanwhile, please send back the original copies of above mentioned certificate(s) to us.

请注意从 2023-10-31 开始停止使用无效证书。同时, 请将上述证书原件寄回给我们。

TÜV NORD reserved the right of final explanation about the cancellation of certificate(s). TÜV NORD will not take any responsibility for the circumstance of misusing the invalid certificate(s) by the license holder or the manufacturer.

TÜV NORD 保留对证书取消的最终解释权。TÜV NORD 对证书持有者或制造商滥用无效证书的情况不承担任何责任。

Renewable Energy / 可再生能源

TÜV NORD (Hangzhou) Co., Ltd. / 杭州汉德质量认证服务有限公司

Miley Li / 李文颖



Technical Support / 技术支持

CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Changzhou EGing Photovoltaic Technology Co., Ltd.
No. 18, Jinwu Road, Yaotang Town, Jintan District
Changzhou City, Jiangsu Province 213213
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Valid until: 2025-07-11

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC 61701:2011 / EN 61701:2012 Severity 6.
Registered No.:	44 780 20 406749 - 091R4M6
Manufacturer:	see Annex 1
Test Report No.:	492011425.007
File No.:	PVP10107/23P-04



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2023-10-31

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / *Annex 1 to Certificate No.:* **44 780 20 406749 - 091R4M6**

Seite / Page 1 von / of 1

Aktenzeichen: / *File reference:* **PVP10107/23P-04**

2023-10-31

Manufacturer:

Manufacturer: **Changzhou EGing Photovoltaic Technology Co., Ltd.**
No.18, Jinwu Road, Yaotang Town, Jintan District
Changzhou City, Jiangsu Province 213213, P.R.China

Factory inspection report no.: 862010123.011

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types: **Double-glass PV Modules with 156.75mm Bifacial Mono-crystalline Silicon Solar Cells:**

72 cells: EG-XXXM72-C/BF-DG (XXX=280-390, in increment of 5)

60 cells: EG-XXXM60-C/BF-DG (XXX=235-325, in increment of 5)

Maximum system voltage: 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types: **Double-glass PV Modules with 158.75mm Bifacial Mono-crystalline Silicon Solar Cells:**

72 cells: EG-XXXM72-D/BF-DG (XXX=355-425, in increment of 5)

60 cells: EG-XXXM60-D/BF-DG (XXX=300-350, in increment of 5)

Maximum system voltage: 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II

Module types: **Double-glass PV Modules with Bifacial Mono-crystalline Silicon half-cut Solar Cells(156.75mm to 166mm):**

156 cells: EG-XXXM78-HD/BF-DG (XXX=420-470, in increment of 5)

144 cells: EG-XXXM72-HD/BF-DG (XXX=360-440, in increment of 5)

132 cells: EG-XXXM66-HD/BF-DG (XXX=355-400, in increment of 5)

120 cells: EG-XXXM60-HD/BF-DG (XXX=300-360, in increment of 5)

144 cells: EG-XXXM72-HC/BF-DG (XXX=340-400, in increment of 5)

120 cells: EG-XXXM60-HC/BF-DG (XXX=285-325, in increment of 5)

168 cells: EG-XXXM84-HE/BF-DG (XXX=500-560, in increment of 5)

156 cells: EG-XXXM78-HE/BF-DG (XXX=455-520, in increment of 5)

144 cells: EG-XXXM72-HE/BF-DG (XXX=405-480, in increment of 5)

120 cells: EG-XXXM60-HE/BF-DG (XXX=350-400, in increment of 5)

Maximum system voltage: 1500V

Fuse rating: 20A

Application class: Class A

Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:	Double-glass PV Modules with 182mm Bifacial Mono-crystalline Silicon half-cut Solar Cells: 144 cells: EG-XXXM72-HL/BF-DG (XXX=510-565, in increment of 5) 120 cells: EG-XXXM60-HL/BF-DG (XXX=425-470, in increment of 5) 108 cells: EG-XXXM54-HL/BF-DG (XXX=385-425, in increment of 5) 144 cells: EG-XXXNT72-HL/BF-DG (XXX=550-595, in increment of 5) 120 cells: EG-XXXNT60-HL/BF-DG (XXX=460-495, in increment of 5) 108 cells: EG-XXXNT54-HL/BF-DG (XXX=415-445, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	25A
Application class:	Class A
Electrical protection class:	Class II

Module types:	Double-glass PV Modules with 210mm Bifacial Mono-crystalline Silicon half-cut Solar Cells: 132 cells: EG-XXXNT66-HU/BF-DG (XXX=660-695, in increment of 5) 120 cells: EG-XXXNT60-HU/BF-DG (XXX=600-630, in increment of 5) 132 cells: EG-XXXM66-HU/BF-DG (XXX=640-680, in increment of 5) 120 cells: EG-XXXM60-HU/BF-DG (XXX=585-615, in increment of 5) 108 cells: EG-XXXM54-HU/BF-DG (XXX=530-555, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	30A
Application class:	Class A
Electrical protection class:	Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products